Europe / Africa Partners Where To Buy



# PRODUCT NUMBER: 1033010 FirmFit Disposable Earplugs

FirmFit Uncorded earplugs in a polybag

Learn more about our products at howardleight.com



Q

# **Overview**

#### **Reference Number**

1033010

#### **Product Type**

**Hearing Protection** 

#### Range

Earplugs

#### Line

Disposable Earplugs

#### **Brand**

Howard Leight

#### Industry

- Agriculture Army Defence Automotive and Part Manufacturer Aviation
- Building and Construction
   Chemical Industries
   General Industry
   Maintenance
- Minning and Quarrying Printing Industries Ship Building Textile Industries Transportation
- Utilities
   Welding
   Wood Industries

#### **Features & Benefits**

### Feature

Extensive research into earplug preferences revealed that some workers prefer a firm foam earplug. They gain a sense of security from feeling the earplug in their ear. And while they like knowing the earplug is there, workers want greater comfort. Independent tests reveal that FirmFit outperforms the leading classic-style earplug, providing workers with a more comfortable option.

#### Benefit

Longer wear time comfort: More protection. Greater compliance. Greater Protection: SNR 37dB provides excellent protection in most medium-to-high noise environments. Easy to Insert: Requires less pressure to roll down. Slow recovery rate gives you plenty of time to correctly insert in ear canal. Easy to See: Distinct warning orange color makes compliance checks easy. Softer: You can feel that FirmFit is softer when you hold it. Less Pressure: FirmFit exerts less expansion pressure on the ear canal.

# **Technical Description**

SNR (dB)

37

H (dB)

37

M (dB)

34

L (dB)

31

#### **Attenuation Data**

Frequency Hz	125	250	500	1000	2000	4000	8000	SNR
Mean Attenuation, dB	35.4	32.4	38.2	37.2	39.2	45.9	45.7	37dB H:37dB M:34dB L:31dB
Standard Deviation, dB	5.2	4.3	4.8	3.4	3.4	4.4	5.4	
Assumed Protection, dB	30.1	28.0	33.4	33.8	35.8	41.5	40.0	2.0.0

Tested and approved in accordance with EN 352-2:2002

Tests performed by Michael&Associates, Inc., State College, Pennsylvania, USA

Certified by SAI Global Assurance Services Ltd. Partis house, Ground Floor, Davy Avenue, Knowlhill Milton Keynes, MK5 8HJ. United Kingdom. Notified Body:2056

Size

Fits All

Color

Orange

Shape

Cylinder

**Other Material** 

**PVC Foam** 

Corded

No

# **Certifications**

**EU Category PPE** 

3

**Quality Assurance** 

ISO 9001 / 2000

**EU Certification** 

EU Attestation

Certifications

• Other CEC40030

# **Additional Information**

**User Manual** 

FirmFit user manual

**User Information Sheet** 

Click on link to download user manual for FirmFit.

# **Maintenance**

**Care Instructions** 

#### FirmFit - 1033010

# CARE + MAINTENANCE

- INSPECT Inspect prior to fitting, examine your earplugs for dirt, damage or extreme hardness—discard immediately if compromised.
- DISCARD For proper hygiene, discard disposable earplugs after use.
- HYGIENE To maintain hygiene standards, disposable earplugs should be discarded at the end of every shift.

# **Packaging**

**EAN Code** 

033552021094

**UPC Code/Case** 

10033552021091

**Unit of Measure** 

1 pair each polybag

Quantity per Box/Pack/Case

200 pairs per box, 10 boxes per case

**Country of Origin** 

Mexico

© Honeywell International Inc.