

Safety Data Sheet

1. IDENTIFICATION

Product Identifier

Product Name Pyramex Safety Lens Cleaning Towelette

Other means of identification

SDS # PYR-004

Product Code LCT100, LCT1, LCT100SP, LCTAHS, LCTFAS, LCTHAR, LCTWES, LCTSTA,

LCTSOU,LCTSUS, LCTSWT, LCTYSC, LCTZEE25, LCTAFF, MSSLCT100, RTZLCT100,

LCC100, 17266, ASA003

Recommended use of the chemical and restrictions on use

Recommended Use Lens cleaner. Instrument care. Water based cleaner.

Details of the supplier of the safety data sheet

Supplier Address

Pyramex Safety Products LLC 281A Moore Lane Collierville. TN 38017

Emergency Telephone Number

Company Phone Number 1-901-861-6100

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Liquid absorbed onto a

towelette

Physical State Solid containing liquid

Odor Mild alcohol odor

Classification

The information below is for the liquid absorbed onto the wipe when used in an industrial setting. The wipe itself is considered a consumer good and when used as intended is unlikely to present a hazard.

Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Flammable Liquids	Category 2

Hazards Not Otherwise Classified (HNOC)

Causes mild skin irritation

Signal Word

Danger

Hazard Statements

Causes serious eye irritation
May cause respiratory irritation. May cause drowsiness or dizziness
Highly flammable liquid and vapor



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Wear eye/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/protective clothing/eye protection/face protection

<u>Precautionary Statements - Response</u>

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Revision Date: 02/20/2015

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a poison center or doctor/physician if you feel unwell

IN CASE OF FIRE: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Isopropyl Alcohol	67-63-0	20-30
Ethylene Glycol Monobutyl Ether	111-76-2	1-10

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

eye irritation persists: Get medical advice/attention.

Skin Contact Wash with soap and water. If irritation persists or an allergic reaction occurs, call a

physician.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. If

breathing is difficult, give oxygen. If breathing has stopped, give artificial respiration. If

Revision Date: 02/20/2015

symptoms persist, call a physician.

Ingestion Do not induce vomiting. Rinse mouth. Drink plenty of water. Never give anything by mouth

to a person who is unconscious or convulsing. Consult a physician.

Most important symptoms and effects

Symptoms Causes serious eye irritation. Causes mild skin irritation. May cause respiratory irritation.

May cause drowsiness or dizziness. May cause nausea, vomiting, stomach ache, and

diarrhea. Ingestion may cause central nervous system depression.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Notes to Physician

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Flammable.

Hazardous Combustion Products Carbon oxides.

Sensitivity to Mechanical Impact Not sensitive.

Sensitivity to Static Discharge

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required. Avoid contact with eyes and skin. Remove

all sources of ignition.

Environmental Precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Use personal protective equipment as required. Wipe or soak up with absorbent material for

disposal. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Wear appropriate personal protective equipment. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static

Revision Date: 02/20/2015

electricity). Keep out of the reach of children.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from incompatible materials, open flames, and high temperatures. Keep

container tightly closed and store in a cool, dry and well-ventilated place. Keep out of the

reach of children.

Incompatible Materials Strong oxidizing agents. Acids. Chlorinated compounds.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	Chemical Name ACGIH TLV		NIOSH IDLH
Isopropyl Alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m ³
		(vacated) TWA: 980 mg/m ³	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³
		(vacated) STEL: 1225 mg/m ³	
Ethylene Glycol Monobutyl Ether	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m ³	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m ³
		(vacated) TWA: 120 mg/m ³	
		(vacated) S*	
		S*	

Appropriate engineering controls

Engineering Controls Showers. Eyewash stations. Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Avoid contact with eyes.

Skin and Body Protection Protective gloves.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Do not eat, drink or smoke when using this product. Remove and wash contaminated

clothing before reuse. Provide regular cleaning of equipment, work areas and clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Solid containing liquid

Appearance Liquid absorbed onto a towelette Odor Mild alcohol odor

Color Colorless Odor Threshold No information available

Revision Date: 02/20/2015

Property Values Remarks • Method

рΗ **Melting Point/Freezing Point**

No information available **Boiling Point/Boiling Range** No information available

12 °C / 54 °F **Flash Point**

Evaporation Rate No information available

Flammability (Solid, Gas) Not determined

Upper Flammability Limits No information available **Lower Flammability Limit** No information available Vapor Pressure No information available **Vapor Density** No information available **Specific Gravity** No information available **Water Solubility** No information available Solubility in other solvents No information available

Partition Coefficient Not determined

Auto-ignition Temperature No information available **Decomposition Temperature** No information available

Kinematic Viscosity Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

VOC Content 19.3%

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

Hazardous polymerization does not occur.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Heat, flames and sparks. Incompatible Materials.

Incompatible Materials

Strong oxidizing agents. Acids. Chlorinated compounds.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes serious eye damage.

Skin Contact Causes mild skin irritation.

Inhalation Do not inhale.

Ingestion Do not ingest.

Revision Date: 02/20/2015

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl Alcohol	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rat) = 12870	= 72.6 mg/L (Rat)4 h
67-63-0		mg/kg (Rabbit)	
Ethylene Glycol Monobutyl Ether	= 470 mg/kg (Rat)	= 2270 mg/kg (Rat) = 220 mg/kg (= 2.21 mg/L (Rat) 4 h = 450 ppm
111-76-2		Rabbit)	(Rat) 4 h

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

However, the product as a whole has not been tested.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl Alcohol 67-63-0		Group 3		X
Ethylene Glycol Monobutyl Ether 111-76-2	А3	Group 3		

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

STOT - single exposure May cause respiratory irritation. May cause drowsiness or dizziness.

Chronic toxicity Avoid repeated exposure. Contains a known or suspected reproductive toxin.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Isopropyl Alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow- through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50		13299: 48 h Daphnia magna mg/L EC50
Ethylene Glycol Monobutyl Ether 111-76-2		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50		1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Isopropyl Alcohol 67-63-0	0.05
Ethylene Glycol Monobutyl Ether 111-76-2	0.81

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

Revision Date: 02/20/2015

regulations for additional requirements.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status	
Isopropyl Alcohol	Toxic	
67-63-0	Ignitable	

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Isopropyl Alcohol	Present	Χ		Present		Present	Χ	Present	Χ	Χ
Ethylene Glycol Monobutyl Ether	Present	Х		Present		Present	Х	Present	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

Revision Date: 02/20/2015

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropyl Alcohol - 67-63-0	67-63-0	27	1.0
Ethylene Glycol Monobutyl Ether - 111-76-2	111-76-2	3.72	1.0

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropyl Alcohol 67-63-0	X	X	X
Ethylene Glycol Monobutyl Ether 111-76-2	Х	X	X

16. OTHER INFORMATION

NFPAHealth HazardsFlammabilityInstabilitySpecial Hazards23Not determinedNot determinedHMISHealth HazardsFlammabilityPhysical HazardsPersonal Protection230B- Safety Glasses,

Gloves

Revision Date: 02/20/2015

Issue Date:12/6/2009Revision Date:2/20/2015Revision Note:New format

Disclaimer

The information provided in this Safety Data Sheet was obtained from sources which we believe are reliable. However, the information is provided without warranty, expressed or implied, regarding the accuracy or correctness.

The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, Pyramex Safety Products, LLC and its Divisions and Subsidiaries, Officers and Employees do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

End of Safety Data Sheet

Page 9/9