

# DATASHEET RAPTOR C20 HUB J



### GENERAL

Art.Nr:	HSG-044-20-J	Standards:	EN 1496-A:2017,EN 360:2002
GTIN:	4030281023357	Net weight:	14.93 kg
E-class number:	40-02-01-03	Gross weight:	14.93 kg
Customs tariff number:	84798997		

www.skylotec.com | Datenblatt, 04.06.24



### DATASHEET RAPTOR C20 HUB J

The RAPTOR HUB fall arrester with a 20 m steel cable and automatic blocking

function enables safe working at heights and depths. Unlike the RAPTOR, the

RAPTOR HUB is also equipped with a rescue lifting device that can be activated in an emergency and enables a quick rescue. After verification by a sskilled person is able to use the device again after using the rescue lifting device,

which increases its cost-effectiveness.

RAPTOR HUB offers maximum application possibilities, as it can be used both independently at anchor points in accordance with EN795 and in combination with

the individualbracket ACS-0164-JP for the JACKPOD TRI. The holder can remain attached to the mobile attachment point when the device is removed.

RAPTOR HUB has a modular design so that components can be replaced, which

increases the longevity of the devices and reduces maintenance costs. The

retractable type fall arrester has two visible fall indicators that show the

product's functionality from the outside. A red indicator signals to the user

as soon as the device needs to be checked. The well thought-out housing design

also enables space-saving and devicefriendly storage.

The device is certified according to EN 360:2002, EN 1496:2017/A and secures a person witha maximum user weight of 140 kg.

• Versatile use due to additional equipment with a rescue lifting device

 Easy and economical maintenance thanks to modular design and two drop

#### FEATURES

Application areas:	Rescue, Various
Colour:	Black
Edge approved:	No
Maximum user weight vertical:	140.00 kg
Maximum lifetime:	20 years
Maximum number of persons:	1
Maximum temperature:	45 °C
Minimum user weight:	40.00 kg
Minimum temperature:	-35 °C
DIMENSIONS	

Rope length:	20.00 m
--------------	---------

#### MATERIAL

Material:	Various



## DATASHEET RAPTOR C20 HUB J

indicators

• High durability due to interchangeable assemblies

• Space-saving storage and optimal handling thanks to special housing design

www.skylotec.com I Datenblatt, 04.06.24